F. ENT COOPERATION TREA

From	tha	IN.	TER	ΝΔ.	TI∩	ΝΔΙ	RI	IRF	ΑΙ	ı

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

_	
ł	\sim
,	v

Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24
Arlington, VA 22202

Date of mailing (day/month/year) 05 January 2001 (05.01.01)	in its capacity as elected Office		
International application No. PCT/US00/08759	Applicant's or agent's file reference		
International filing date (day/month/year) 31 March 2000 (31.03.00)	Priority date (day/month/year) 02 April 1999 (02.04.99)		
Applicant HANNIGAN Raymond R et al			

Щ.	HANNIGAN, Naymond, N. et al
1.	The designated Office is hereby notified of its election made:
	X in the demand filed with the International Preliminary Examining Authority on:
	02 November 2000 (02.11.00)
	in a notice effecting later election filed with the International Bureau on:
2.	The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).
l	

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Pascal Piriou

Telephone No.: (41-22) 338.83.38

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422) Date of mailing (day/month/year)	COLTON, Wayne, J. Wayne J. Colton, Inc. Suite 1032 The Milam Building 115 East Travis Street San Antonio, TX 78205 ETATS-UNIS D'AMERIQUE
19 December 2000 (19.12.00)	
Applicant's or agent's file reference	IMPORTANT NOTIFICATION
International application No. PCT/US00/08759	International filing date (day/month/year) 31 March 2000 (31.03.00)
1. The following indications appeared on record concerning: the applicant the inventor	the agent the common representative State of Nationality State of Residence
COLTON, Wayne, J. Wayne J. Colton, Inc. Suite 1108 The Milam Building 115 East Travis Street San Antonio, TX 78205 United States of America 2. The International Bureau hereby notifies the applicant that the person the name X the ad Name and Address COLTON, Wayne, J. Wayne J. Colton, Inc. Suite 1032 The Milam Building 115 East Travis Street San Antonio, TX 78205 United States of America	Telephone No. 210 222 8455 Facsimile No. 210 222 8445 Teleprinter No. the following change has been recorded concerning:
3. Further observations, if necessary:	
4. A copy of this notification has been sent to: X the receiving Office X the International Searching Authority the International Preliminary Examining Authority	X the designated Offices concerned the elected Offices concerned other:
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Dominique DELMAS

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35 50cm PCT/IR/306 (March 1994)



From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To: WAYNE J. COLTON WAYNE J. COLTON, INC. 115 EAST TRAVIS STREET THE MILAM BUILDING SUITE 1032 SAN ANTONIO, TEXAS 78205

PCT

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of Mailing (day/month/year)

30 JUL 2002

Applicant's or agent's file reference

1001.1153

IMPORTANT NOTIFICATION

International application No.

International filing date (day/month/year)

Priority Date (day/month/year)

PCT/US00/08759

31 MARCH 2000

02 APRIL 1999

Applicant

KINETIC CONCEPTS, INC.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of 3. the report (but not of any annexes) and will transmit such translation to those Offices.

REMINDER 4.

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/US

Commissioner of Patents and Trademarks

Box PCT Washington, D.C. 20231

Facsimile No. (703) 305-3230 Authorized officer

KIM M. LEWIS Diane Smith of

Telephone No. (703) 308-1191

Form PCT/IPEA/416 (July 1992)★




PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference						
1001.1153	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
International application No.	International filing date (day/m	onth/year) Priority date (day/month/year)				
PCT/US00/08759	31 MARCH 2000	02 APRIL 1999				
	International Patent Classification (IPC) or national classification and IPC IPC(7): A61F 7/00 and US Cl.: 604/291					
Applicant KINETIC CONCEPTS, INC.						
Examining Authority and is 2. This REPORT consists of a This report is also accombeen amended and are the	total of sheets. apanied by ANNEXES, i.e., sheet he basis for this report and/or she ion 607 of the Administrative In	ts of the description, claims and/or drawings which have ets containing rectifications made before this Authority.				
	· · · · · · · · · · · · · · · · · · ·					
3. This report contains indication	ns relating to the following ite	ms:				
I X Basis of the repo	ort					
II Priority						
	nt of report with regard to now	velty, inventive step or industrial applicability				
	-	retty, inventive step of inclusional applications				
IV Lack of unity of	invention					
	nt under Article 35(2) with regar mations supporting such stateme	rd to novelty, inventive step or industrial applicability; nt				
VI Certain documents	cited					
VII Certain defects in	he international application					
VIII Certain observation	ns on the international application	on .				
Contain 03351 (Maio	E on the microscopic of production	· -				
<u></u>						
Date of submission of the demand	Date of	of completion of this report				
02 NOVEMBER 2000 19 MAY 2002						
Name and mailing address of the IPEA	/US Autho	rized officer				
Commissioner of Patents and Traden Box PCT	narks Ki	KIM M. LEWIS Diane Smith of				
Washington, D.C. 20231		Thinker No. (See See				
Facsimile No. (703) 305-3230	Telepi	ione No. (703) 308-1191				




International	application	No.

PCT/US00/08759

I. Basis of the re	:port 		
1 With regard to the	elements of the internati	ional application:*	
-	onal application as o		
		ongmany men	
1 X I -			as originally filed
pages	NONE		filed with the demand
pages pages		, filed with the letter of	, Theu with the demand
pages		, filed with the letter of	
X the claims:			
pages	7-8		, as originally filed
pages	NONE	, as amended (together with any	
pages			_ , filed with the demand
pages	NONE	, filed with the letter of	
X the drawing			
pages			
pages			
pages	NONE	, filed with the letter of	
the anguara	e listing part of the de	escription:	
X the sequence pages		escription.	as originally filed
pages	NONE		
pages	NONE	, filed with the letter of	_ ,
the language	e of a translation furner of publication of the	nished for the purposes of international search (ne international application (under Rule 48.3(b)) ished for the purposes of international preliminary examples.	under Rule 23.1(b)).
		amino acid sequence disclosed in the internationa out on the basis of the sequence listing:	l application, the international
contained in	the international ap	pplication in printed form.	
	-	onal application in computer readable form.	
		uthority in written form.	
=	•		
لبسيا	• •	uthority in computer readable form.	
international	application as filed h		
The statemen been furnishe		recorded in computer readable form is identical to the	e writen sequence listing has
4. X The amendr	nents have resulted i	in the cancellation of:	•
X the de	scription, pages	NONE	
	aims, Nos.	NONE	
	awings, sheets/ fig _		
		ome of) the amendments had not been made, since the	y have been considered to go
beyond the	disclosure as filed, as in	ndicated in the Supplemental Box (Rule 70.2(c)).**	
* Replacement sheets	which have been furnish	hed to the receiving Office in response to an invitation we are not annexed to this report since they do not conta	nder Anicle 14 are referred to sin amendments (Rules 70.16
•	sheet containing such (amendments must be referred to under item 1 and an	nexed to this report.





PCT/US00/08759

statement			
Novelty (N)	Claims	7-10	YE
	Claims	1-6	NO
Inventive Step (IS)	Claims	7-10	YE
	Claims	1-6	NO
Industrial Applicability (IA)	Claims	1-10	YE
Industrial Applicability (IA)	Claims	NONE	NO
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed.	and/or heat is noted that cooli	For wound closure. More specifically, Ferdman et al. dis applied to the wound through the dressing in order to any of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly suggest	close the uum are
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the	and/or heat is noted that cooli Γ Article 33(2)- note foam pad bein	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound foam pad to the region.	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound foam pad to the region.	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound foam pad to the region.	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound foam pad to the region.	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound foam pad to the region.	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he
adhesive backed dressing in which a vacuum wound and minimize trauma. It should be removed. Claims 7-10 meet the criteria set out in PC packing the wound site with a foam pad, the region, including the foam pad with a wound foam pad to the region.	and/or heat is noted that cooli Γ Article 33(2)- no foam pad bein d drape and cor	applied to the wound through the dressing in order to ng of the affected region occurs when the heat and vac. (4), because the prior art does not teach or fairly sugges g in fluid communication with vacuum source, sealing to	close the uum are t he



PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 1001.1153	FOR FURTHER ACTION	see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.			
International application No.	International filing date	e (day/month/year)	(Earliest) Priority Date (day/month/year))	
PCT/US00/08759	31 MARCH 2000		02 APRIL 1999		
Applicant KINETIC CONCEPTS, INC.					
This international search report has bee according to Article 18. A copy is being This international search report consists.	ng transmitted to the Intern	national Bureau.	thority and is transmitted to the applican	t	
X It is also accompanied by a c	copy of each prior art docu	ument cited in this re	eport.		
language in which it was filed the international search was Authority (Rule 23.1(b)).	, unless otherwise indicated s carried out on the basis	d under this item. of a translation of th	asis of the international application in the ne international application furnished to international application, the international		
was carried out on the basis of	f the sequence listing:	ince disclosed in the i	memational application, the international	Scarci	
contained in the internation	al application in written for	orm.			
filed together with the inter	national application in con	nputer readable form.			
furnished subsequently to th	is Authority in written for	m.			
furnished subsequently to th	is Authority in computer i	readable form.			
the statement that the subset	equently furnished written	sequence listing do	es not go beyond the disclosure in		
the statement that the information furnished.	ntion recorded in computer r	readable form is identic	cal to the written sequence listing has been		
2. Certain claims were found	Certain claims were found unsearchable (See Box 1).				
3. Unity of invention is lacking	ng (See Box II).				
4. With regard to the title,					
X the text is approved as subn					
the text has been established	d by this Authority to read	as follows:			
5. With regard to the abstract,					
the text is approved as subm	nitted by the applicant.				
the text has been established Box III. The applicant may, search report, submit common	within one month from the				
6. The figure of the drawings to be pu	blished with the abstract i	s Figure No			
X as suggested by the applicar	nt.		None of the figures.	ļ	
because the applicant failed	to suggest a figure.				
because this figure better ch	aracterizes the invention.			ſ	





Box III TEXT OF THE ABSTRACT (Continuation of item 5 of the first sheet)

NEW ABSTRACT

A method, and apparatus (10) for the controlled acceleration, and/or retardation of the body's inflammatory response generally comprises a foam pad (11) for insertion substantially into a wound site, a heating, a cooling pad (13) for application over the wound site (12), a wound drape (14) or sealing enclosure of the foam pad (11), the heating, and cooling pad (13) at wound site (12). The foam pad (11) is placed in fluid communication with a vacuum source for promotion of the controlled acceleration or retardation of the body's inflammatory response. The heating, and cooling provision controls the local metabolic function as part of the inflammatory response.



VACUUM ASSISTED CLOSURE SYSTEM WITH HEATING AND COOLING PROVISION

RELATED APPLICATION:

This application claims priority to United States provisional patent application Serial No. 60/127,596 entitled VACUUM ASSISTED CLOSURE SYSTEM WITH HEATING AND COOLING PROVISION filed April 2, 1999. By this reference, the full disclosure, including the drawings, of U.S. provisional patent application Serial No. 60/127,596 is incorporated herein.

10

15

20

25

30

35

5

TECHNICAL FIELD:

The present invention relates to the healing of wounds. More specifically, the present invention relates to the vacuum assisted closure of wounds wherein localized heating or cooling is used to accelerate or retard the metabolic function of the inflammatory system in order to facilitate wound healing.

BACKGROUND ART:

Wound closure involves the inward migration of epithelial and subcutaneous tissue adjacent the wound. This migration is ordinarily assisted through the inflammatory process, whereby blood flow is increased and various functional cell types are activated. Through the inflammatory process, blood flow through damaged or broken vessels is stopped by capillary level occlusion, whereafter cleanup and rebuilding operations may begin. Unfortunately, this process is hampered when a wound is large or has become infected. In such wounds, a zone of stasis (i.e. an area in which localized swelling of tissue restricts the flow of blood to the tissues) forms near the surface of the wound.

Without sufficient blood flow, the epithelial and subcutaneous tissues surrounding the wound not only receive diminished oxygen and nutrients, but are also less able to successfully fight bacterial infection and thus are less able to naturally close the wound. Until recently, such difficult wounds were addressed only through the use of sutures or staples. Although still widely practiced and often effective, such mechanical closure techniques suffer a major disadvantage in that they produce tension on the skin tissue adjacent the wound. In particular, the tensile force required in order to achieve closure using sutures or staples causes very high localized stresses at the suture or staple insertion point. These stresses commonly result in the rupture of the tissue at the insertion points, which can eventually cause wound dehiscence and additional tissue loss.



Additionally, some wounds harden and inflame to such a degree due to infection that closure by stapling or suturing is not feasible. Wounds not reparable by suturing or stapling generally require prolonged hospitalization, with its attendant high cost, and major surgical procedures, such as grafts of surrounding tissues. Examples of wounds not readily treatable with staples or suturing include large, deep, open wounds; decubitus ulcers; ulcers resulting from chronic osteomyelitis; and partial thickness burns that subsequently develop into full thickness burns.

As a result of these and other shortcomings of mechanical closure devices, methods and apparatus for draining wounds by applying continuous negative pressures have been developed. When applied over a sufficient area of the wound, such negative pressures have been found to promote the migration toward the wound of epithelial and subcutaneous tissues. In practice, the application to a wound of negative pressure, commonly referred to as vacuum assisted closure (VAC) therapy, typically involves mechanical-like contraction of the wound with simultaneous removal of excess fluid. In this manner, VAC therapy augments the body's natural inflammatory process while alleviating many of the known intrinsic side effects, such as the production of edema caused by increased blood flow absent the necessary vascular structure for proper venous return.

While VAC therapy has been highly successful in the promotion of wound closure, healing many wounds previously thought largely untreatable, some difficulty remains. Because the inflammatory process is very unique to the individual patient, even the addition of VAC therapy does not result in a fast enough response for closure of some wounds, especially when applied during the occlusion and initial cleanup and rebuilding stages. It is therefore a principle object of the present invention to provide a method and apparatus whereby the known VAC therapy modalities are improved through controlled acceleration of the inflammatory response.

Additionally, and again at least partially attributable to the variance between patients, it is possible that a properly initiated inflammatory response may be taken too far, resulting in edema and pain. It is therefore another principle object of the present invention to provide a method and apparatus whereby the known VAC therapy modalities are improved through controlled retardation of the inflammatory response.

DISCLOSURE OF THE INVENTION:

10

15

20

25

30

35

In accordance with the foregoing objects, the present invention – a method and apparatus for the controlled acceleration and/or retardation of the body's inflammatory response – generally comprises a foam pad for insertion substantially into a wound site, a



heating and cooling pad for application over the wound site and a wound drape for sealing enclosure of the foam pad and the heating and cooling pad at the wound site. According to the invention, the foam pad is placed in fluid communication with a vacuum source for promotion of fluid drainage while warm or cool fluid is circulated through the heating and cooling pad for the controlled acceleration or retardation, respectively, of the metabolic function portion of the body's inflammatory response.

According to the preferred embodiment of the present invention, a heating and cooling provision is added to the previously known VAC therapy to control the local metabolic function as part of the inflammatory response. By providing localized heating in combination with the otherwise ordinary VAC therapy, the overall inflammatory response can be synergistically accelerated to produce rapid capillary occlusion and earlier initiation of the cleanup and rebuilding stages. Likewise, in the event that the attending clinician determines that the inflammatory response has been over-activated, localized cooling may be provided in combination with the VAC therapy to retard the body's inflammatory response without sacrifice of the edema control and other aspects of the otherwise provided VAC therapy.

10

15

20

25

30

35

In the preferred embodiment of the present invention, the heating and cooling pad comprises a flexible and breathable water layer, generally comprising two sheets of RF-weldable material. The two sheets of the pad are RF-welded together in a waffle-like pattern, wherein a plurality of apertures is formed between a plurality of channels. The apertures allow the transpiration of moisture from the patient's skin while the channels allow the circulation, via a supply tube and a drainage tube, of warm or cool water, as required, through the pad for the heating or cooling thereof.

While the heating and cooling pad may be placed inside or outside of the wound drape during the heating aspect of the present invention, it is critical that the heating and cooling pad be placed inside of the wound drape during the cooling aspect of the present invention. In this manner, condensate formation on the interior of the drape, which may cause the drape's adhesive to loosen and ultimately result in loss of vacuum at the wound site, can be minimized. In particular, placing the heating and cooling pad inside the wound drape limits the surrounding moisture content to that existing and generated within the confines of the wound site, which is minimized by the suction aspect of the VAC therapy.

Because the cooling aspect of the present invention should be implemented in this manner and the clinician may indicate the need for cooling at any time after initiation of VAC therapy, the preferred method of the present invention comprises placing the heating and cooling pad beneath the wound drape, adjacent the foam pad and wound site, regardless



WO 00/59418 PCT/US00/08759

of whether heating or cooling is initially indicated. Upon placement of the pad, the wound drape is firmly adhered about the supply tube and drainage tube to prevent vacuum leakage.

Finally, many other features, objects and advantages of the present invention will be apparent to those of ordinary skill in the relevant arts, especially in light of the foregoing discussions, the following drawings and exemplary detailed description and the claims appended hereto.

BRIEF DESCRIPTION OF THE DRAWINGS:

5

10

15

20

25

30

35

Although the scope of the present invention is much broader than any particular embodiment, a detailed description of the preferred embodiment follows together with illustrative figures, wherein like reference numerals refer to like components, and wherein:

Figure 1 shows, in partially cut away perspective view, the preferred embodiment of the present invention as applied to a mammalian wound site; and

Figure 2 shows, in top cross-sectional plan view, the heating and cooling pad of the invention of Figure 1.

BEST MODE FOR CARRYING OUT THE INVENTION:

Although those of ordinary skill in the art will readily recognize many alternative embodiments, especially in light of the illustrations provided herein, this detailed description is exemplary of the preferred embodiment of the present invention – a vacuum assisted closure system with heating and cooling provision, the scope of which is limited only by the claims appended hereto.

Referring now to the figures, the present invention 10 is shown to generally comprise a foam pad 11 for insertion substantially into a wound site 12, a heating and cooling pad 13 for application over the wound site 12 and a wound drape 14 for sealing enclosure of the foam pad 11 and the heating and cooling pad 13 at the wound site 12. According to the invention, the foam pad 11 is placed in fluid communication with a vacuum source for promotion of fluid drainage while warm or cool fluid is circulated through the heating and cooling pad 13 for the controlled acceleration or retardation, respectively, of the metabolic function portion of the body's inflammatory response.

According to the preferred embodiment of the present invention, the foam pad 11, wound drape 14 and vacuum source are implemented as known in the prior art, each of which is detailed in U.S. patent application Serial No. 08/517,901 filed August 22, 1995. By this reference, the full disclosure of U.S. patent application Serial No. 08/517,901 ("the '901 application"), including the claims and the drawings, is incorporated herein as though now



5

10

15

20

25

30

35

WO 00/59418 PCT/US00/08759

set forth in its entirety. Additionally, such a VAC system is readily commercially available through Kinetic Concepts, Inc. of San Antonio, Texas, U.S.A. and/or its subsidiary companies.

As detailed in the '901 application, the foam pad 11 preferably comprises a highly reticulated, open-cell polyurethane or polyether foam for good permeability of wound fluids while under suction. As also detailed in the '901 application, the foam pad 11 is preferably placed in fluid communication, via a plastic or like material hose 15, with a vacuum source, which preferably comprises a canister safely placed under vacuum through fluid communication, via an interposed hydrophobic membrane filter, with a vacuum pump. Finally, the '901 application also details the wound drape 14, which preferably comprises an elastomeric material at least peripherally covered with a pressure sensitive, acrylic adhesive for sealing application over the wound site 12.

According to the preferred method of the present invention, those components as are described in the '901 application are generally employed as known in the art with the exception that the heating and cooling provision of the present invention is added to control the local metabolic function as part of the inflammatory response. By providing localized heating in combination with the otherwise ordinary VAC therapy, the overall inflammatory response can be synergistically accelerated to produce rapid capillary occlusion and earlier initiation of the cleanup and rebuilding stages. Likewise, in the event that the attending clinician determines that the inflammatory response has been over-activated, localized cooling may be provided in combination with the VAC therapy to retard the body's inflammatory response without sacrifice of the edema control and other aspects of the otherwise provided VAC therapy.

In the preferred embodiment of the present invention, the heating and cooling pad 13 comprises a flexible and breathable water layer 16, generally comprising two sheets 17, 18 of RF-weldable material. The two sheets 17, 18 of the pad are RF-welded together in a waffle-like pattern, wherein a plurality of apertures 19 is formed between a plurality of channels 20. The apertures 19 allow the transpiration of moisture from the patient's skin 21 while the channels 20 allow the circulation, via a supply tube 22 and a drainage tube 23, of warm or cool water, as required, through the pad 13 for the heating or cooling thereof.

While the heating and cooling pad 13 may be placed inside or outside of the wound drape 14 during the heating aspect of the present invention, it is critical that the heating and cooling pad 13 be placed inside of the wound drape 14 during the cooling aspect of the present invention. In this manner, condensate formation on the interior and near the edges of the drape 14, which may cause the drape's adhesive to loosen and ultimately result in loss of



5

10

15

20

25

WO 00/59418 PCT/US00/08759

vacuum at the wound site 12, can be minimized. In particular, placing the heating and cooling pad 13 inside the wound drape 14 limits the surrounding moisture content to that moisture level existing and generated within the confines of the wound site 12, which is minimized by the suction aspect of the VAC therapy.

Because the cooling aspect of the present invention should be implemented in this manner and the clinician may indicate the need for cooling at any time after initiation of VAC therapy, the preferred method of the present invention comprises placing the heating and cooling pad 13 beneath the wound drape 14, adjacent the foam pad 11 and wound site 12, regardless of whether heating or cooling is initially indicated. Upon placement of the pad 13, the wound drape 14 is firmly adhered about the supply tube 22 and the drainage tube 23 to prevent vacuum leakage.

While the foregoing description is exemplary of the preferred embodiment of the present invention, those of ordinary skill in the relevant arts will recognize the many variations, alterations, modifications, substitutions and the like as are readily possible, especially in light of this description, the accompanying drawings and the claims drawn hereto. For example, those of ordinary skill in the art will recognize that the heating and cooling pad 13 may be constructed in a wide variety of shapes, sizes and internal structures. Such an alternative embodiment may comprise the integration of the heating and cooling pad 13 into a multi-layered version of the wound drape 14. In any case, because the scope of the present invention is much broader than any particular embodiment, the foregoing detailed description should not be construed as a limitation of the present invention, which is limited only by the claims appended hereto.

INDUSTRIAL APPLICABILITY:

The present invention is applicable to the wound healing arts.



WO 00/59418 PCT/US00/08759

CLAIMS:

5

What is claimed is:

1. A method for the promoting wound healing in mammals, said method comprising the steps of:

applying a vacuum to a region of a wound site on a mammal; and effecting a change in the mammal's inflammatory response at said region while said vacuum is applied thereto.

- 10 2. The method for promoting wound healing as recited in claim 1, wherein said effecting a change step comprises controlling the mammal's local metabolic function at said region.
- 3. The method for promoting wound healing as recited in claim 2, wherein said effecting a change step comprises accelerating the mammal's local metabolic function at said region to encourage rapid capillary occlusion and accelerated initiation of the cleanup and rebuilding stages of the mammal's inflammatory response.
 - 4. The method for promoting wound healing as recited in claim 3, wherein said effecting a change step comprises heating said region.
 - 5. The method for promoting wound healing as recited in claim 2, wherein said effecting a change step comprises retarding the mammal's local metabolic function as said region to prevent over-activation of the mammal's inflammatory response.

25

35

20

- 6. The method for promoting wound healing as recited in claim 5, wherein said effecting a change step comprises cooling said region.
- 7. The method for promoting wound healing as recited in any of the preceding claims,
 30 wherein said applying a vacuum step comprises the steps of:

packing said wound site with a foam pad, said foam pad being in fluid communication with a vacuum source;

sealing said region, including said foam pad, with a wound drape; and communicating said vacuum from said vacuum source through said foam pad to said region.





8. The method for promoting wound healing as recited in claim 7, wherein said effecting a change step comprises the steps of:

circulating a fluid about said region; and controlling the temperature of said fluid to obtain said change.

5

WO 00/59418

- 9. The method for promoting wound healing as recited in claim 8, wherein said fluid is circulated about said region in a flexible envelope, said flexible envelope having an inlet and an outlet for fluid communication therethrough of said fluid.
- 10. The method for promoting wound healing as recited in claim 9, said method further comprising the step of sealing said flexible envelope, with said wound drape, between said foam pad and said wound drape.








Fig. 1



SUBSTITUTE SHEET (RULE 26)





International application No.
PCT/US00/08759

		l					
A. CLASSIFICATION OF SUBJECT MATTER IPC(7) : A61F 7/00							
US CL :604/291	US CL :604/291 According to International Patent Classification (IPC) or to both national classification and IPC						
	national classification and IPC						
B. FIELDS SEARCHED							
Minimum documentation searched (classification system followed by classification symbols)							
U.S. : 604/290, 291							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
Electronic data base consulted during the international search (na EAST	•	search terms used)					
Search Terms: bandage, dressing, vacuum, pad, heating, coo	ling, inflammatory						
C. DOCUMENTS CONSIDERED TO BE RELEVANT							
Category* Citation of document, with indication, where ap	ppropriate, of the relevant passages	Relevant to claim No.					
X US 5,149,331 A (FERDMAN et al.) document.	22 September 1992, entire	1-6					
Y document.		7-10					
Y US 4,382, 441 A (SVEDMAN) 10 Ma	ay 1983, entire document.	7-10					
	,						
		:					
Further documents are listed in the continuation of Box C							
 Special categories of cited documents: A* document defining the general state of the art which is not considered to be of particular relevance 	"T" later document published after the in- date and not in conflict with the app the principle or theory underlying the	lication but cited to understand					
"E" carlier document published on or after the international filing date	"X" document of particular relevance; the considered novel or cannot be considered.						
L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other							
O document referring to an oral disclosure, use, exhibition or other means	document referring to an oral disclosure, use, exhibition or other combined with one or more other such documents, such combination						
*P" document published prior to the international filing date but later than *& document member of the same patent family the priority date claimed							
Date of the actual completion of the international search	Date of the actual completion of the international search Date of mailing of the international search report						
24 AUGUST 2000 22 SEP 2000							
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Authorized officer. Authorized officer.							
Washington, D.C. 20231 Facsimile No. (703) 305-3230	Telephone No. (703) 308-1191						
EACSORIE INC. 17031 303=3430	11 1 CICULUE 110. (/UJ) 300-1191						